

PRO JBL AQUATEST®

KH	GH	Ca	Mg	Mg	pH	pH	pH	NH ₄	NO ₂	NO ₃
Fresh water										
3-10	6.0-7.6	7.4-9.0								
PO ₄	PO ₄	SiO ₂	Fe	K	Cu	O ₂	CO ₂	Direct		
Sensitive										

WASSERANALYSE
WATER ANALYSIS
ANALYSE DE L'EAU



Empfohlene Werte / Recommended Values / Paramètres recommandés										Messung / Measurement / Mesure													
Subwasser Gesellschafts- aquarium Freshwater Community tank		Süßwasser Aquascaping Freshwater Aquascaping		Gartenteich Garden pond Bassin de jardin		Meerwasser Fischbecken Marine water Fish tank Eau de mer Bac à poissons		Meerwasser Riff Reef Eau de mer Récif		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.
Eau douce Aquarium communautaire		Eau douce Aquascaping		Eau douce Aquascaping		Eau de mer Bac à poissons		Eau de mer Récif		250µS	10.01.												
21-28		23-26		4-30		24-28		24-26		20°C													
5-16		4-10		5-20		7-10		7-13		1,5dH													
6,8-8,2		6,4-7,2		7,5-8,5		7,8-8,4		7,8-8,4		6,0													
8-25		6-15		8-30		-		-		3dH													
NH ₄ (mg/l)		<0,1		<0,1		<0,05		<0,05		<0,05													
NO ₂ (mg/l)		<0,1		<0,1		<0,1		<0,05		<0,01													
Cu (mg/l)		<0,05		<0,05		<0,05		<0,05		0													
O ₂ (mg/l)		6-10		6-13		6-10		6-10		10													
Leitwert / Conductance / Conductivité		300-500 µS/cm		250-600 µS/cm		300-1200 µS/cm		48-52 mS/cm		255µS													
NO ₃ (mg/l)		1-30		5-20		<5		1-10		<0,5													
PO ₄ (mg/l)		<0,4		0,5-1,8		<0,1		0,02-0,1		<0,02													
SiO ₂ (mg/l)		<1,2		<0,4		-		<0,4		1,2													
Fe (mg/l)		0,05-0,4		0,1-0,6		<0,2		<0,05		0,1													
K (mg/l)		10-30		10-30		-		380-400															
Mg (mg/l)		5-10		5-10		-		-															
CO ₂ (mg/l)		15-30		20-35		-		-		38													
Ca (mg/l)		-		-		400-440		420-480															
Mg (mg/l)		-		-		1200-1350		1350-1400															
Dichte / Conductivité / Densité (25°C kg/l)		-		-		1,026		1,022-1,026															
Salinität / Salinity / Salinité (ppt)		-		30-35		30-35		30-35															